Notes for making the Greek Key feature ring Bowl 3 2025

- You need to make strips in two different timbers one dark the other light.
 The light wood needs to be 20mm wide and 4 mm and 8mm thick and a total length 1432mm for the 4mm and 1000mm for the 8mm.
- 2 The Dark wood 20mm wide and 5mm thick a total length of 2780mm
- 3 I've add more than you will need but if you make them up of small lengths you may need more.
- 4 Step 1 start by gluing up item D and 6 times 12minimum do 18 to be safe.
- 5 Step 2 Sand level step one very lightly then add B and 5. Don't forget to do all 12/18!
- 6 Step 3 sand the ends flush and add C and 4
- 7 Step 4 Sand the top and bottom flush and add E and 3
- 8 Step 5 Sand the ends flush and add A
- 9 Step 6 Sand Top and Bottom of A flush and add 1
- 10 Step 7 Sand the ends flush and add 2 to both ends.
- 11 When they are all dry trim the sides so they are clean and 90 deg to the base (1)
- 12 Lay them out end for end and set them up so they all face the same direction.
 Then flip alternate ones so you have one up and one down as shown.
- Next come the hard part you need to cut the 15 deg angle on the side but make sure you do it so the cut face away from the front. The way you had them lined up in step 12.

Best of luck and have a good time making the feature ring.

Don

	(Use 8mm for	Number 2)										
			Light wood					Dark wood				
Greek Key Cutting List 2025 Version 2	mm	10000.0	3380					2780				
		Total 8 mm	Total 4 mm					Total 5 mm				
	Total Legth	1056	216	912	192	720	009	216	720	216	216	912
	to	24	24	24	24	24	24	24	24	24	24	24
	Width	25	25	25	25	25	25	25	25	25	25	25
	Hight	4	56	4	13	4	4	22	2	13	4	2
	Length	40	2	34	4	. 92	21	2	56	2	2	34
	m Wood Type	Light	Light	Light	Light	Light	Light	Dark	Dark	Dark	Dark	Dark
	E .	Н	7	3	4	2	9	d	8	O	٥	ш

Greak Key Page 4

wl 4 Greek 2025

Greak Key Page 3

